



Process/Product Change Notification (PCN)

General PCN Information			
PCN # 21-0005	Std prod die changed from waffle pack to gel pack		PCN Date Jan 5, 2021
Initiator	Nam Nguyen		Date Jan 4, 2021
Post to PCN Alert?	☒ Yes	☐ No	E-mail PCNresponse@qorvo.com
Type of Change:	☒ Major	☐ Minor	☐ Obsolescence
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Shipment Packaging Materials Only. No changes to Product.		
Description of Change: Continuous improvement initiative to eliminate defects related to waffle pack handling and shipping. Data sheets do not require any changes. MOQ remains the same as waffle trays. Pack quantity remains the same for gel pack shipments.			
Reason for Change: Shipping method changed from waffle pack to gel pack (vacuum release tray).			
Detail of potential impact to customer: Picking die from gel requires a vacuum release tool.			
Affected Products: TGA2958			
Comments and/or Supporting Data: Click on icon to view Gel Tray Application Note: 			
The following only applies to Major and Minor Changes			
Affected Product Specification (if applicable): None			
Qualification Plan or Data (if applicable): This is a shipping method change. No product qual planned or required.			
Customer Samples Available (if applicable): Apr 8, 2021: Contact your marketing or sales representative			
Qualification Results Available (if applicable): Gel pack is an industry standard for shipping bare die.			
Planned First Ship Date: Apr 15, 2021: Planned first ship date.			
Identification of Changed Product (if applicable): Traceability is by product ship date. Shipments in gel pack vacuum release trays may occur sooner than April 8th, 2021 with customer's approval.			
Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.			
Qorvo 7628 Thorndike Road Greensboro, NC 27409-9421 Customer Service Phone: 336.678.5570 E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com http://www.qorvo.com			