



Process/Product Change Notification (PCN)

General PCN Information

PCN # 21-0012	Alternate Substrate Supplier	PCN Date	Jan 11, 2021
Initiator	Jack Sun - Sr Sourcing Engineer	Date	Jan 11, 2021
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Alternate Laminate Supplier		

Description of Change: No changes to form, fit, function and/or reliability. Alternate supplier is fully qualified by Qorvo and has been manufacturing in high volume other similar Qorvo products for years.

Reason for Change: Increased customer demand requires adding alternate substrate vendor to alleviate supply constraints.

Detail of potential impact to customer: None anticipated

Affected Products: QM56028, QM56030

Comments and/or Supporting Data:

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): None

Qualification Plan or Data (if applicable): Qualification report is available on request

Customer Samples Available (if applicable): Jan 7, 2021: Contact person: Ashok Bhupathiraju (ashok.bhupathiraju@qorvo.com)

Qualification Results Available (if applicable): Qualification report is available on request

Planned First Ship Date: Apr 21, 2021: May begin shipments sooner with customer approval

Identification of Changed Product (if applicable): Traceability to manufacturing sites is maintained internally in Qorvo's systems.

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>