



Process/Product Change Notification (PCN)

General PCN Information

PCN # 21-0139	QM58101Y Qorvo External Fab Polyimide Change	PCN Date	Jun 30, 2021
Initiator	Bobbi Duff	Date	Jun 30, 2021
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☐ Major ☒ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☐ Other:		

Description of Change: Qorvo External Fab Supplier has made a change to their polyimide supply based to secure and ensure current supply in the current market.

Reason for Change: Qorvo External Fab Supplier is driving this change.

Detail of potential impact to customer: Customer may need to requalify or verify this change in their applications.

Affected Products: QM58101Y

Comments and/or Supporting Data:

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): None

Qualification Plan or Data (if applicable): Available upon completion of qualification.

Customer Samples Available (if applicable): Jun 25, 2021: Please contact Bobbi Duff at bobbi.duff@qorvo.com

Qualification Results Available (if applicable): Sept 1, 2021

Planned First Ship Date: Oct 12, 2021: May be sooner based upon customer approval

Identification of Changed Product (if applicable): Available by trace code branded on parts.

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>