



Process/Product Change Notification (PCN)

General PCN Information

PCN # 21-0208	QM23341: Alternate Assembly Site	PCN Date	Sep 29, 2021
Initiator	Chris Scott	Date	Sep 29, 2021
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Assembly Site		

Description of Change: Adding Qorvo Costa Rica as an alternate assembly site in addition to Qorvo Beijing to improve supply capacity. No impact to form, fit, function, or reliability.

Reason for Change: Additional assembly site to accommodate increased demand.

Detail of potential impact to customer: Maintain or improve delivery of Qorvo products to customers.

Affected Products: QM23341

Comments and/or Supporting Data:

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): N/A

Qualification Plan or Data (if applicable): Updated qual report available on request

Customer Samples Available (if applicable): Oct 1, 2021: Contact Chris Scott (chris.scott@qorvo.com) for ordering samples

Qualification Results Available (if applicable): Oct 8, 2021: Updated qual report available on request after this date.

Planned First Ship Date: Jan 10, 2022: Product will ship earlier with customer approval

Identification of Changed Product (if applicable): No change to product marking. Traceability to assembly sites maintained in Qorvo's internal manufacturing systems. Product labeling will show country of origin as CR for material from alternate site.

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>