



Process/Product Change Notification (PCN)

General PCN Information

PCN # 22-0057	Qorvo Die Attach Epoxy Supplier Change	PCN Date	Apr 25, 2022
Initiator	Tamara Bassam	Date	Apr 20, 2022
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Die Attach Epoxy Change		

Description of Change: Qorvo is changing die attach epoxy to improve long-term global supply stability. Qorvo is acting to ensure future needs and flexibility of their customers.

Reason for Change: Recent market conditions bring the need for more flexibility and supply.

Detail of potential impact to customer: None anticipated

Affected Products: AG201-63G, AG203-63G, AG302-63G, AG303-63G, QPA0163L, QPA0363A, QPA2263A, QPA2363C, QPA2463C, QPA4263A, QPA4263C, QPA4363A, QPA4363C, QPA4463A, QPA4563A, QPA4563C, QPA5263A, RFPA3800, SC-9979-AP, SPF5043Z, TQP369181, TQP369184

Comments and/or Supporting Data:

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): None at this time.

Qualification Plan or Data (if applicable): Available on request

Customer Samples Available (if applicable): Apr 19, 2022: Please contact Tamara Bassam at tamara.bassam@qorvo.com and mention the PCN number

Qualification Results Available (if applicable): May 16, 2022: Available on request after May 16, 2022

Planned First Ship Date: Aug 1, 2022:

Identification of Changed Product (if applicable): Traceability to die attach used is maintained in Qorvo's internal manufacturing systems.

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>