



Process/Product Change Notification (PCN)

General PCN Information

PCN # 22-0157	Change to mold compound for QPA4501	PCN Date	Dec 9, 2022 Revised Mar 20, 2023
Initiator	Tamara Bassam	Date	Dec 6, 2022
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: BOM item		
Description of Change:	Qorvo is changing the mold compound to ensure continuity and future needs of their customers.		
Reason for Change:	Ensuring product continuity after policy change.		
Detail of potential impact to customer:	None anticipated.		
Affected Products:	QPA4501		
Comments and/or Supporting Data:			
The following only applies to Major and Minor Changes			
Affected Product Specification (if applicable):	None anticipated		
Qualification Plan or Data (if applicable):	Available after Feb 23, 2023		
Customer Samples Available (if applicable):	Dec 15, 2022: please contact tamara.bassam@qorvo.com and mention PCN number.		
Qualification Results Available (if applicable):	Feb 23, 2023: Available after Feb 23, 2023		
Planned First Ship Date:	April 18, 2023: Revised Mar 20, 2023: Date has been changed from Mar 7, 2023, to April 18, 2023		
Identification of Changed Product (if applicable):	Traceability to die attach used is maintained in Qorvo's internal manufacturing systems.		
Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.			
Qorvo 7628 Thorndike Road Greensboro, NC 27409-9421 Customer Service Phone: 336.678.5570 E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com http://www.qorvo.com			