



Process/Product Change Notification (PCN)

General PCN Information

PCN # 22-0160	Mold compound change notification	PCN Date	Dec 9, 2022
Initiator	James Cheng	Date	Dec 6, 2022
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Mold compound change		

Description of Change: Mold compound change

Reason for Change: Change is supply-driven due to a US Government import ban on chemical found in current mold compound

Detail of potential impact to customer: None anticipated

Affected Products: QPA1008, QPM2100

Comments and/or Supporting Data:

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): N/A

Qualification Plan or Data (if applicable): Available upon request after 3/20/2023

Customer Samples Available (if applicable): Dec 30, 2022: Please contact David Moon at David.Moon@qorvo.com

Qualification Results Available (if applicable): Mar 20, 2023:

Planned First Ship Date: Apr 3, 2023:

Identification of Changed Product (if applicable): Traceability to changed product will be maintained by Qorvo's internal systems.

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>