



Process/Product Change Notification (PCN)

General PCN Information

PCN # 23-0081	QM14510 - Substrate Change	PCN Date	May 17, 2023 Revised Feb 13, 2024
Initiator	Sandra Holt	Date	May 17, 2023
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other:		
Description of Change:	A change in substrate suppliers required a new, updated substrate.		
Reason for Change:	Supplier driven		
Detail of potential impact to customer:	The new substrate is comparable or better quality with no expected issues from a long-standing supplier.		
Affected Products:	QM14510		
Comments and/or Supporting Data:	N/A		
The following only applies to Major and Minor Changes			
Affected Product Specification (if applicable):	N/A		
Qualification Plan or Data (if applicable):	request info from Anthony.Balistreri@Qorvo.com		
Customer Samples Available (if applicable):	Jun 1, 2023: Contact Anthony.Balistreri@Qorvo.com for samples		
Qualification Results Available (if applicable):	Jun 1, 2023: Request info from Anthony.Balistreri@Qorvo.com		
Planned First Ship Date:	July 31, 2025: Material may ship sooner with customer approval.		
Identification of Changed Product (if applicable):	Product with new laminate will be captured in Qorvo's internal manufacturing traceability system.		
Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.			
Qorvo 7628 Thorndike Road Greensboro, NC 27409-9421 Customer Service Phone: 336.678.5570 E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com http://www.qorvo.com			



Process Change Notification (PCN) Form

Revised Date	Description of Change	Initiator of Change
05/17/2023	Original document	Sandra Holt
02/13/2024	Revised the Planned First Ship Date from Sep 1, 2023, to July 31, 2025.	Tony Balistreri