



Process/Product Change Notification (PCN)

General PCN Information

PCN # 24-0103	Qualify PFAS-free PBO and new exposure equipment	PCN Date	Aug 29, 2024
Initiator	Steven Cao	Date	Aug 27, 2024
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☒ Reliability ☐ N/A ☒ Other: PBO material was changed to meet PFAS free requirement.		

Description of Change: PBO Material was changed to PFAS Free. The qualification covers new exposure equipment as well.

Reason for Change: To meet PFAS restrictions requirements.

Detail of potential impact to customer: No impact to product quality and reliability. Help customers to meet PFAS restrictions requirements. Add more equipment resource to production.

Affected Products: ACT88321VU101, ACT88321VU103, ACT88321VU104, ACT88321VU105, ACT88321VU106, ACT88321VU107, ACT88321VU110, ACT88321VU112, ACT88329VU102, ACT88329VU103, ACT88329VU104, ACT88329VU106, ACT88329VU108, ACT88420-101, ACT88420-102, ACT88420-103, ACT88420-104, ACT88420-106, ACT88420-109, ACT88420-114, ACT88760-101, ACT88760-104, ACT88760-107, ACT88760-108, ACT90520-101, ACT90520-108

Comments and/or Supporting Data: Click on icon to view Qual Report: 

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): The BOM of related products are updated to new materials.

Qualification Plan or Data (if applicable): Qual passed. Pls see attached qual report.

Customer Samples Available (if applicable): Sep 30, 2024: Per customer request. Contact CQE steven.cao@qorvo.com

Qualification Results Available (if applicable): N/A

Planned First Ship Date: Dec 16, 2024: Qorvo will make this change once customer approve this PCN

Identification of Changed Product (if applicable): QorvoIf needed, Qorvo will provide the cutoff date code.

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>