



Process/Product Change Notification (PCN)

General PCN Information

PCN # 25-0033	Alternate Bump House	PCN Date	Mar 14, 2025
Initiator	Gurumani Krishnan	Date	Mar 7, 2025
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Alternate Bump House		

Description of Change: Alternate bump house for the products listed below. Alternate is an existing fully qualified bump house supplier for Qorvo & has supported other Qorvo products in high volume production for many years.

Reason for Change: Alternate required for supply chain risk mitigation purposes.

Detail of potential impact to customer: Customers might start receiving products that are bumped at either site once alternate becomes available.

Affected Products: QM13051, QM13545

Comments and/or Supporting Data:

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): N/A

Qualification Plan or Data (if applicable): Available upon request.

Customer Samples Available (if applicable): Mar 21, 2025: Please contact Clint Yap clint.yap@qorvo.com for samples request.

Qualification Results Available (if applicable): Mar 21, 2025

Planned First Ship Date: Jan 1, 2026: Customer approval for shipments by this date is required. Customers may receive products from either site after customer approval.

Identification of Changed Product (if applicable): Traceability to bump house is maintained in Qorvo's internal manufacturing systems.

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>