



Process/Product Change Notification (PCN)

General PCN Information

PCN # 25-0053	Laminate Supplier Change	PCN Date	Apr 23, 2025
Initiator	Joey Tilley	Date	Apr 23, 2025
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Laminate Supplier		

Description of Change: Qorvo will move the laminate supplier for the products listed below to another Qorvo qualified supplier.

Reason for Change: Current laminate supplier is shutting down.

Detail of potential impact to customer: None anticipated. Qorvo will qualify new laminate supply to ensure there is no change in performance per Data Sheet.

Affected Products: QM12113, QM12154, QM12156, QM12160, QM13025, QM23013

Comments and/or Supporting Data:

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): None. Same performance requirements apply.

Qualification Plan or Data (if applicable): Available on request. Contact Joey.Tilley@qorvo.com

Customer Samples Available (if applicable): Jun 15, 2025: Contact Joey.Tilley@qorvo.com with your sample requests and reference this PCN.

Qualification Results Available (if applicable): Jun 15, 2025:

Planned First Ship Date: Aug 3, 2025: Parts using Current Supplier will be used first, then Qorvo will begin manufacturing with the new laminate. Transition times will vary.

Identification of Changed Product (if applicable): Traceability to laminate supplier is maintained in Qorvo's internal manufacturing systems.

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>