



Process/Product Change Notification (PCN)

General PCN Information

PCN # 25-0069	Substrate Supplier Change	PCN Date	May 9, 2025
Initiator	Tamara Bassam	Date	May 8, 2025
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Substrate Supplier Change		

Description of Change: No change to form, fit, function or reliability. New supplier is qualified by Qorvo and has been used in high volume manufacturing with other Qorvo products for many years.

Reason for Change: Current laminate substrate supplier has exited the market.

Detail of potential impact to customer: No impact on customers anticipated.

Affected Products: QPA9418, QPA9421, QPA9424

Comments and/or Supporting Data:

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): N/A

Qualification Plan or Data (if applicable): Available on request

Customer Samples Available (if applicable): Jul 10, 2025: Please contact chonghyuk.kwon@qorvo.com for samples and reference this PCN.

Qualification Results Available (if applicable): Oct 30, 2025:

Planned First Ship Date: Oct 16, 2025: On this date or later (depending on laminate inventory depletion of current substrate supplier).

Identification of Changed Product (if applicable): Traceability to substrate suppliers is maintained in Qorvo manufacturing systems.

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>