



Process/Product Change Notification (PCN)

General PCN Information

PCN # 25-0070	Substrate Supplier Change	PCN Date	May 14, 2025
Initiator	Tamara Bassam	Date	May 13, 2025
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Substrate Supplier Change		
Description of Change:	No change to form, fit, function or reliability. New supplier is qualified by Qorvo and has been used in high volume manufacturing with other Qorvo products for many years.		
Reason for Change:	Current laminate substrate supplier has exited the market.		
Detail of potential impact to customer:	No impact on customers anticipated.		
Affected Products:	RFSA2113		
Comments and/or Supporting Data:			
The following only applies to Major and Minor Changes			
Affected Product Specification (if applicable):	N/A		
Qualification Plan or Data (if applicable):	Available on request		
Customer Samples Available (if applicable):	Jul 14, 2025: Please contact chonghyuk.kwon@qorvo.com for samples and reference this PCN.		
Qualification Results Available (if applicable):	Oct 10, 2025:		
Planned First Ship Date:	Nov 24, 2025: On this day or sooner with customer approval		
Identification of Changed Product (if applicable):	Traceability to substrate suppliers is maintained in Qorvo manufacturing systems.		
Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.			
Qorvo 7628 Thorndike Road Greensboro, NC 27409-9421 Customer Service Phone: 336.678.5570 E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com http://www.qorvo.com			