



Process/Product Change Notification (PCN)

General PCN Information

PCN # 25-0099	Product EOL: Laminate Supplier Discontinuation	PCN Date	Jul 15, 2025
Initiator	Reilly Martinez	Date	May 30, 2025
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☐ Major ☐ Minor	☒ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☐ Other:		
Description of Change: Laminate Supplier Discontinuation of products listed below.			
Reason for Change: Laminate supplier discontinued substrate process due to lack of current/future supply of substrates.			
Detail of potential impact to customer: Products will be discontinued, and are currently on allocation with a limited Last-Time-Buy supply.			
Affected Products: QPC2108, QPD0050, QPF4001, QPF4006, QPM2100, TGL2226-SM:			

Comments and/or Supporting Data:

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): N/A

Qualification Plan or Data (if applicable): N/A

Customer Samples Available (if applicable): N/A

Qualification Results Available (if applicable): N/A

Planned First Ship Date:

Identification of Changed Product (if applicable):

The following only applies to Obsolescence Notifications

Any purchase orders issued for end of life (EOL) products identified in this PCN are non-cancellable, non-returnable (NCNR).

Last Time Buy Date	Jan 25, 2026 -- Subject to availability of limited supply.
Last Time Ship Date	Jul 25, 2026 -- 12 months from PCN Distribution
Alternate Part Recommendation	QPC2108 --> TGP2108-SM QPD0050 --> QPD0030 or QPD0060 QPM2100 --> QPM2101 TGL2226-SM --> TGL2223-SM, QPC0045, QPC1008, CMD325 (die only) QPF4001 and QPF4006--> No direct replacement. Contact your local Qorvo Sales Rep.

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>