



Process/Product Change Notification (PCN)

General PCN Information

PCN # 25-0107	Test Site Change	PCN Date	Jul 31, 2025
Initiator	Amy Wolk	Date	Jul 29, 2025
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Test Site Location		
Description of Change:	Physical test location moved from Billerica, MA to Chelmsford, MA		
Reason for Change:	Moving test site to Chelmsford due to closure of Billerica location		
Detail of potential impact to customer:	None Expected		
Affected Products:	AWMF0197, AWMF0198, AWMF0210, AWMF0224		
Comments and/or Supporting Data:	Copy exact testing. Test cell physically moved from the Billerica, MA location to the Chelmsford, MA location. No change to the test and handling equipment, and no change to the operations staff testing the product.		
The following only applies to Major and Minor Changes			
Affected Product Specification (if applicable):	N/A		
Qualification Plan or Data (if applicable):	Data will be made available upon request		
Customer Samples Available (if applicable):	Jul 29, 2025: Please contact Vincent Pelliccia at vincent.pelliccia@qorvo.com for samples and reference this PCN number.		
Qualification Results Available (if applicable):			
Planned First Ship Date:	Nov 14, 2025: Parts Available for early shipment with customer approval		
Identification of Changed Product (if applicable):	Traceability to test site is maintained in Qorvo's internal manufacturing systems. Date code is TBD and will be available upon request.		
Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.			
Qorvo 7628 Thorndike Road Greensboro, NC 27409-9421 Customer Service Phone: 336.678.5570 E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com http://www.qorvo.com			