



Process/Product Change Notification (PCN)

General PCN Information

PCN # 21-0068	UWBU Supply Chain Integration	PCN Date	Mar 22, 2021
Initiator	Andrew Flynn	Date	Mar 22, 2021
Post to PCN Alert?	☒ Yes ☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☒ Major ☐ Minor	☐ Obsolescence	
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☒ Other: Supply Chain move		
Description of Change: Moving Decawave legacy supply chain to Qorvo approved supply chain as part of UWBU integration. New supply chain is approved and fully qualified by Qorvo.			
Reason for Change: Change to an approved supply chain will ensure all future capacity requirements are met.			
Detail of potential impact to customer: None expected. Conducting internal reliability testing to ensure no differences are seen.			
Affected Products: DW3210, DW3220			
Comments and/or Supporting Data:			
The following only applies to Major and Minor Changes			
Affected Product Specification (if applicable): None			
Qualification Plan or Data (if applicable): Available on request from 30-Jun-21.			
Customer Samples Available (if applicable): Jun 1, 2021: Contact andrew.flynn@qorvo.com with sample requirements.			
Qualification Results Available (if applicable): Jun 30, 2021:			
Planned First Ship Date: Jun 30, 2021:			
Identification of Changed Product (if applicable): None. Traceability to the supply chain is maintained in Qorvos internal manufacturing systems.			
Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.			
Qorvo 7628 Thorndike Road Greensboro, NC 27409-9421 Customer Service Phone: 336.678.5570 E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com http://www.qorvo.com			