



Process/Product Change Notification (PCN)

General PCN Information

PCN # 21-0074	Spatium Gen 1.0 Products End of Life Notification		PCN Date	Mar 31, 2021
Initiator	Tim Hornback		Date	Mar 18, 2021
Post to PCN Alert?	☒ Yes	☐ No	E-mail	PCNresponse@qorvo.com
Type of Change:	☐ Major		☐ Minor	☒ Obsolescence
Change Affects	☐ Form ☐ Fit ☐ Function ☐ Reliability ☐ N/A ☐ Other:			

Description of Change: EOL on Spatium Gen 1.0 Product

Reason for Change: Can no longer acquire Santier packages.

Detail of potential impact to customer: Customers will need to order products by date provided. Last time buy/ship is solely based on current available inventory, due to supplier.

Affected Products: QPB1005, RM022020

Comments and/or Supporting Data:

The following only applies to Major and Minor Changes

Affected Product Specification (if applicable): N/A

Qualification Plan or Data (if applicable): N/A

Customer Samples Available (if applicable): N/A

Qualification Results Available (if applicable): N/A

Planned First Ship Date:

Identification of Changed Product (if applicable): N/A

The following only applies to Obsolescence Notifications

Any purchase orders issued for end of life (EOL) products identified in this PCN are non-cancellable, non-returnable (NCNR).

Last Time Buy Date	Oct 11, 2021 -- Last time buy is solely based on current available inventory, due to supplier.
Last Time Ship Date	Apr 11, 2022 -- Last time ship is solely based on current available inventory, due to supplier.
Alternate Part Recommendation	QPB0218, QPB0220

Customer Acknowledgement/Responses: All Customer responses must be sent via e-mail to PCNResponse@qorvo.com. When replying, please include the PCN number in subject line. Customers should acknowledge receipt of the PCN within 30 days of delivery of the PCN. Lack of acknowledgement of the PCN within 30 days constitutes acceptance of the change. Any concerns, sample order response, or a request for further information must be provided within the acknowledgement period. If additional time is required to determine if samples or additional data is required, the customer must submit this request along with the acknowledgement response and state when they expect to complete their review. After acknowledgement, lack of additional response prior to the planned first ship date constitutes acceptance of the change. If the customer requires additional time to perform sample testing, beyond the stated planned first ship date, an extension must be negotiated with Qorvo. Acceptance of the PCN prior to the planned first ship date is considered approval to begin shipments early. Any contractual PCN agreements made with Qorvo supersede these requirements.

Qorvo
7628 Thorndike Road
Greensboro, NC 27409-9421
Customer Service Phone: 336.678.5570
E-mail (PCN Related Correspondence Only): PCNResponse@qorvo.com
<http://www.qorvo.com>